

NEMO

FLACA

Roberto Paoli

Wall lamp, double output for a flood uplight and downlight. Die-casted aluminium, with sandblasted Pyrex diffuser or opal metacrylate for the LED version. Body painted in matt white, moka, champagne or anthracite. Suitable for installation on inflammable surfaces. Dimmable.



NEMO


FLACA

Roberto Paoli

LED

Lamping

Source	2 x LED board
Total power	30W
Emission	up + down
Switching	dimmable TRIAC
Tension	220/240V
Color temperature	3000K
Luminous flux	2000+1000lm
Typ cri	83
Energy class	A+
Materials	aluminium + methacrylate



Codes

FLA LDW 33
FLA LBW 33
FLA LXW 33
FLA LWW 33

Structure



Diffuseur

anthracite

Package

LxPxH (base)	20x11x40
Weight (base)	2,5

NEMO

FLACA

Roberto Paoli

HALO

Lamping

Source	R7s QT-DE (114mm)
Total power	160W
Emission	up + down
Switching	dimmable
Tension	230V
Ip class	20
Materials	aluminium + glass



Codes

FLA HWW 31
FLA HXW 31
FLA HBW 31
FEF HDW 31

Structure



anthracite

Diffuseur



Package

LxPxH (base)	20x11x40
Weight (base)	2,5

NEMO

FLACA

Roberto Paoli

LED

Lamping

Source	2 x LED board
Total power	30W
Emission	up + down
Switching	dimmable 1-10 V
Tension	120/240V
Color temperature	3000K
Luminous flux	2000lm + 1000lm
Typ cri	83
Energy class	A+
Materials	aluminium + methacrylate



Codes

FLA LWW 32
FLA LXW 32
FLA LBW 32
FLA LDW 32

Structure



anthracite



Diffuseur

Package

LxPxH (base)	20x11x40
Weight (base)	2,5