

NEMO

NORMA

Steve Blackman and Mario Barbaglia

LED and halogen wall lamps with widespread light. Tube diffuser in sandblasted Pyrex or in opal metacrylate (LED), mounted on a glossy polished aluminium structure.



NEMO

NORMA

Steve Blackman and Mario Barbaglia

25 HALO

Lamping

Source	R7s QT-DE (114mm)
Total power	250W
Emission	diffused
Switching	dimmable
Tension	230V
Ip class	40
Materials	glass + aluminium

Codes

NOR HLW 31

Structure




Diffuseur



Package

LxPxH (base)	37x36x14
Weight (base)	2,5



NEMO

NORMA

Steve Blackman and Mario Barbaglia

25 LED

Lamping

Source	LED board
Total power	20W
Emission	diffused
Tension	110 / 230V
Color temperature	3000K
Luminous flux	2000lm
Typ cri	83
Energy class	A+
Ip class	40
Materials	PMMA + aluminium

Codes

NOR LLW 31

Structure


PMMA/chrome

Diffuseur



Package

LxPxH (base)	37x36x14
Weight (base)	2,5



NEMO

NORMA

Steve Blackman and Mario Barbaglia

65 HALO

Lamping

Source	R7s QT-DE (75mm)
Total power	3 x 60W
Emission	diffused
Switching	dimmable
Tension	230V
Ip class	40
Materials	glass + aluminium

Codes

NOR HLW 32

Structure




Diffuseur



Package

LxPxH (base)	35x75x15
Weight (base)	4



NEMO

NORMA

Steve Blackman and Mario Barbaglia

65 LED

Lamping

Source	LED board
Total power	20W
Emission	diffused
Switching	dimmable, dali, push
Tension	220 / 240V
Color temperature	3000K
Luminous flux	2400lm
Typ cri	83
Energy class	A+
Ip class	40
Materials	PMMA + aluminium


Codes

NOR LLW 32

Structure

PMMA/chrome

Diffuseur



Package

LxPxH (base)	35x75x15
Weight (base)	4

NEMO

NORMA

Steve Blackman and Mario Barbaglia

95 LED

Lamping

Source	LED board
Total power	35W
Emission	diffused
Switching	dimmable, dali, push
Tension	220 / 240V
Color temperature	3000K
Luminous flux	3700lm
Typ cri	83
Energy class	A+
Ip class	40
Materials	PMMA + aluminium


Codes

NOR LLW 33

Structure

PMMA/chrome

Diffuseur



Package

LxPxH (base)	35x110x15
Weight (base)	6