

m o o o i[®]



Perch Light Tree

What is more poetic and elegantly captivating than a bird perched on a branch, flirting, singing and celebrating life?

Designer

Umut Yamac

Year of design

2016

Material

Steel, Aluminium, PP

Additional

Solid State LED

m o o o i[®]

Technical



Input Voltage:
100-240V ~ 50/60Hz

Power Consumption:
90W

Colour Temperature:
2700K

Light source:
Solid State LED

CRI:
80

Lumen:
Approx 2340lm

Dimmable:
0-10V-, 1-10V-, PWM dimming
Please make sure the right provisions are made for 0-10V/1-10V/PWM dimming.

Technical ul



Input Voltage:
100-240V ~ 50/60

Power Consumption:
120W

Colour Temperature:
2700K

Light source:
Solid State LED

CRI:
80

Lumen:
Approx 2340lm

Dimmable:
0-10V-, 1-10V-, PWM dimming
Please make sure the right provisions are made for 0-10V/1-10V/PWM dimming.

Recommended dimmer 0-10V dimmable

For fluent dimming behaviour we advise a dimmer that is compatible with the following specs:


Transformer type: Electronic Low Voltage (ELV) 0-10V Dim

Load type: Capacitive load (C-Type)

Dimmer type: 0-10V dimmable

Please note the functioning of the dimmer and the power supply combination can never be predicted, it always needs to be tested in practice.

dimensions



Packaging

H 222,5 cm | 87,5"

W 186 cm | 73,2"

D 186 cm | 73,2"

Colli 1/1

With packaging:

21 KG | 46 lb